

Rev:A

Description of product | 产品简介

商品编码: DTC0120508026

X-RAY Indicator Light | X-RAY 指示灯

Product Feature

- _ LED lighting color is orange
- _ High luminous Intensity output of led
- _ Installation easily
- _ Lifetime of the LED up to 50,000 hours

产品特点

- _ 本产品亮橙色
- _ 本产品使用的LED有较高的亮度输出
- _ 本产品易安装
- _ LED寿命高达50,000小时



Product Advantage | 产品优势

- _ Customized product | 客户可定制
- _ Flammability meet UL94-V0 | 可燃性满足UL94-V0
- _ Meet RoHS requirement | 满足RoHS要求
- _ Meet IEC62471 requirements | 满足IEC62471要求

Applications | 应用领域

- _ Medical device treatment status display | 医疗设备治疗状态显示
- _ Remind medical device testing process to doctors | 医疗设备检测过程给医生的提示



Production Datasheet | 产品数据表

Technical Parameters | 技术参数

Electrical parameter | 电参数

Voltage Tape 电压类型	DC
Nominal Voltage 标称电压	24.0V
Input Current 输入电流	150 mA constant current 150mA恒流
Range Voltage 输入电压范围	12...24VDC

Rev:A


Photometric Parameter | 光度参数

Dominant Wave Length 主波长	588-594nm
Forward Voltage 正向电压	2.0-2.6V
Forward Current 正向电流	200mA
Reverse Current 反向电流	10µA

Connector Parameter | 接口参数

Connector Model 接口型号	P/N: 1376135-1
Connector Type 接口类型	Tyco D2100, 3pin
Connector Pinout 接口定义	Pin 1: +24VDC Pin 1: 24V直流
	Pin 2: NC Pin 2: 空
	Pin 3: GND Pin 3: GND

Dimensions | 尺寸



Unit | 单位: mm | 毫米

Item 项目	Dimension 尺寸
-----------	----------------

Rev:A

Length 长度	21mm
Wide 宽度	40mm
Height 高度	45mm

Operate & Storage Temperature | 操作和存储温度

Operate Temperature 工作温度范围	0...40°C ¹⁾
Operate Relative Humidity 工作湿度范围	20 to 75%
Storage Temperature 仓储温度范围	-20...50°C
Storage Relative Humidity 仓储湿度范围	5 to 95%

- 1) Exceeding the maximum ratings will reduce expected life time or destroy the LED.
超过最大额定值将降低预期寿命或破坏LED。

Safety | 安全

Merit | 优点

Poka Yoke | 防呆

Connectors Against Coming Loose | 接口防松动设计

Product Information | 产品信息

Product Code 商品编码	Description 产品描述	Dimension(Length x Wide x Height) 尺寸 (长x宽x高mm)
DTC0120508026	X-RAY Indicator Light X-RAY指示灯	21*40*45

免责声明

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.
如有更改，恕不另行通知。错误和遗漏除外。一定要确保使用最新的版本。