## **Tech Sheet**

## **Design Checklist**

Part Number and Revision

Rev. 12/19

To accurately and efficiently engineer the cost of a part, it is helpful to have specific information from the customer up-front. Utilizing this design checklist, along with customer prints or design information, can shorten lead time, facilitate consistent planning and pricing of projects, and ensure that the customer's performance and quality expectations are designed into the part. Providing the following information can ensure that the materials selected are well suited and cost effective and that appropriate processes are included.

Will this part be part of a set, equipment can be quoted as a			•	·
Quantity				
Estimated Annual Usage	Qtys. to be qu	oted		
Total purchase Qty				
(Blanket orders can provide co				
Prototypes needed? Y/N Qty.				
Environment				
What is the end use of the par	t?			
Surface the part is applied to?				
Smooth/Textured Flat/Curve	ed Specify color of surf	ace (can affe	ct part color)	
Part is used indoor/outdoor/bo				
horizontal application, etc.)				
Is part exposed to moisture/ch				
Exposure temp range		Application temp range		
Materials – DuraTech will use			ake appropriate mat	erial choices unless
customer specifies material red	•			
Material preference (example: polycarbonate)				
Material Color (for pressure se	nsitive materials) white/	clear/bright s	ilver/brushed silver/m	natte silver
Finish: Gloss/Velvet /Matte C	Overlaminate required Ya	/N if yes, Thio	ckness	
Additional required features: (	Computer Imprintable/In	ık Receptive/[	Destructible/Other	
Adhesive Y/N Type		Thickness	Full coverage	_Selective
Additional required adhesive f	eatures: Removeable/Re	positionable/	Tamper Evident/Othe	er





UL/CSA Requirements  Does the part require a UL approved construction? Y/N Require a CSA approved construction? Y/N  If yes, please complete the information under the Environment section of this checklist.  ROHS compliance? Y/N Reach compliance? Y/N  Does part require FAIR or PPAP? Y/N If yes, what level?  Customer spec or Military spec requirements? If yes, please list
Tolerances Required - Tolerance required will affect cutting methods that can be used and may affect tooling costs – customer should be advised to use as broad a tolerance as possible to reduce cost.  Required cutting tolerance  DuraTech standard cutting methods used to hold the following tolerances: +/005 requires hard tool (may be possible lcut for a few material types) +/010 can be held with lcut and for some material types with a steel rule tool +/015 can be held with a steel rule tool for materials ≤ 20 mil +/020 for Gerber digital cutting and steel rule tool for materials 20 mil − 32 mil thickness +/030 for sheared parts and steel rule tool for materials > 32 mil  Graphic to cut tolerance (industry standard is +/015)
Graphics (Artwork/prints can be emailed to <a href="mailto:artwork@duratech.com">artwork@duratech.com</a> )  Electronic print available Y/N Computer artwork available Y/N  Colors to be printed
Standard colors OK? Y/N Custom colors required? Y/N Is color matching critical? Y/N (Standard colors can save costs – color chips available upon request)  If part is to have a printed texture or anti-glare finish, is it full coverage/selective?  (DuraTech requests a sample to match or gloss level required for printed textures/anti-glare finishes)  Does the part have a printed UL mark? Y/N If yes, UL approval is required to print the mark.  Is copy embossed? Y/N  Will the parts be serialized/have variable copy? Y/N Specify
Additional Information  How are the parts to be supplied? Single/Single with tab/Single with split back/Single on carrier/Strip/Sheet/ Weeded sheet/Roll/Set of parts in sheet form/Set of parts as individuals (circle one)  If parts are to be supplied on a carrier, is carrier size critical? Y/N  If part has a clear window, supply with a protective mask/slip sheets?  Is the part back lit? Y/N If yes, please describe (example: LED lights)  Is part applied to a subpanel Y/N If yes, will DuraTech supply the panel? Y/N (print will be required)

Packaging Requirements - DuraTech standard packaging is 100 parts per bundle.

Please specify any special packaging requirements \_\_\_\_\_\_\_